DERWENT- 2003-543355

ACC-NO:

DERWENT- 200352

WEEK:

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Elastic flooring used as a sports **floor** comprises

a closed-cell solid **foam** layer having on its under side bumps producing grooves which is arranged between a **bottom** layer and a load-

distribution plate

PRIORITY-DATA: 2002DE-2017274 (November 9, 2002)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC

DE 20304529 U1 June 18, 2003 N/A 007 E04F 015/18

INT-CL (IPC): E04F015/18, E04F015/22

ABSTRACTED-PUB-NO: DE 20304529U

BASIC-ABSTRACT:

NOVELTY - Elastic flooring, especially a sports **floor**, **comprises a foam** provided as an elastic layer between a **bottom** layer, especially a plaster **floor** (1), and a load-distribution plate (2). The elastic layer is a closed-cell solid **foam** layer (3) having on its under side (6) bumps (7) producing grooves (8).

DETAILED DESCRIPTION - Preferred Features: The bumps are made in one piece with the solid foam layer. Especially flat channels (5) are arranged on the upper side (4) of the solid foam layer. The channels and the bumps have a corrugated design.

8/4/06, EAST Version: 2.0.3.0

USE - Used as a sports floor.

ADVANTAGE - The flooring has a simple construction. Moisture-induced damage to the load-distribution plate is prevented.

DESCRIPTION OF DRAWING(S) - The drawing shows a cross-section through the flooring.

plaster floor 1

load-distribution plate 2

foam layer 3

upper side 4

channel 5

under side 6

bump 7

groove 8

Basic Abstract Text - ABTX (1):

NOVELTY - Elastic flooring, especially a sports **floor**, **comprises a foam** provided as an elastic layer between a **bottom** layer, especially a plaster **floor** (1), and a load-distribution plate (2). The elastic layer is a closed-cell solid **foam** layer (3) having on its under side (6) bumps (7) producing grooves (8).

Derwent Accession Number - NRAN (1):

<u>2003-543355</u>

Title - TIX (1):

Elastic flooring used as a sports **floor** comprises a closed-cell solid **foam** layer having on its under side bumps

producing grooves which is arranged between a $\underline{\textbf{bottom}}$ layer and a load-distribution plate

Standard Title Terms - TTX (1):

ELASTIC **FLOOR** SPORTS **FLOOR** COMPRISE CLOSE CELL SOLID **FOAM** LAYER SIDE BUMP PRODUCE GROOVE ARRANGE **BOTTOM** LAYER LOAD DISTRIBUTE PLATE

8/4/06, EAST Version: 2.0.3.0

